

SAFETY DATA SHEET

1. Identification

Product identifier STONETECH® Salt Water Resistant Sealer

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Protection against salts on natural stone surfaces.

Restrictions on use Not available.

Details of manufacturer or importer

Company name LATICRETE International Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone(203)-393-0010Contact personSteve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

Supplier

Company name LATICRETE Australia

Address P.O. Box 508

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

Australia

Telephone (61) (7) 3865-1599
Website www.laticrete.com
Emergency phone number 1.703.527.3887

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)



Exclamation mark

Signal word Warning

Hazard Statement(s) Causes serious eye irritation.

Precautionary Statement(s)

Prevention Wash thoroughly after handling. Wear eye/face protection.

STONETECH® Salt Water Resistant Sealer

926067 Version #: 01 Revision date: - Issue date: 12-October-2016 1 / 6

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. Disposal

Other hazards which do not result in classification

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Alkyl Alkoxy Silane and Siloxane	N/A	10 - 20
Alcohol Ethoxylate	Trade Secret	< 2

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Description of necessary first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Skin contact Wash off with soap and water. Get medical attention if symptoms occur.

Eve contact Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention immediately.

Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues. Ingestion

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Symptoms caused by exposure

Medical attention and special

treatment

Symptoms include redness, itching and pain.

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

By heating and fire, irritating vapours/gases may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for fire fighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Hazchem Code

General fire hazards No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Use personal protection recommended in Section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

STONETECH® Salt Water Resistant Sealer 926067 Version #: 01 Revision date: -Issue date: 12-October-2016 Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth

and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling Avoid inhalation of vapors and contact with skin, eyes and clothing. Wash thoroughly after

handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe

good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a well-ventilated place.

8. Exposure controls and personal protection

Follow standard monitoring procedures. **Control parameters** No exposure limits noted for ingredient(s). Occupational exposure limits

No biological exposure limits noted for the ingredient(s). **Biological limit values Exposure guidelines** No exposure standards allocated.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Wear safety glasses with side shields (or goggles) and a face shield. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Rubber gloves are recommended.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Colour Opaque white.

Odour Mild.

Odour threshold Not available.

5 - 6

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Does not flash. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Not available. Flammability limit - upper

(%)

Vapour pressureNot available.Vapour densityNot available.

Relative density 0.988

Solubility(ies)

Solubility (water) Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperature> 200 °C (> 392 °F)ViscosityNot available.

Other physical and chemical parameters

VOC 66 g/l (including water)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Alkalies.

Hazardous decomposition

products

Carbon monoxide (CO). Carbon dioxide (CO2).

11. Toxicological information

Information on possible routes of exposure

In high concentrations, vapours may be irritating to the respiratory system.

Skin contactMay cause skin irritation.Eye contactCauses serious eye irritation.IngestionMay cause discomfort if swallowed.

ingestion iviay cause disconlinit il swallowed.

Symptoms related to exposure Direct contact with eyes may cause temporary irritation. Symptoms include redness, itching and

pain.

Acute toxicity May cause discomfort if swallowed.

Components Species Test results

Alcohol Ethoxylate (CAS Trade Secret)

AcuteDermal

LD50 Rabbit 200 - 5000 mg/kg

Oral

LD50 Rat 1100 mg/kg

Skin corrosion/irritationMay cause skin irritation.Serious eye damage/irritationCauses serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation No data available.

Skin sensitisation Not a skin sensitiser.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity No data available.

Specific target organ toxicity - No data available.

single exposure

No data available.

repeated exposure

Specific target organ toxicity -

STONETECH® Salt Water Resistant Sealer
926067 Version #: 01 Revision date: - Issue date: 12-October-2016

Aspiration hazard Not classified.

Chronic effects No data available.

Other information This product has no known adverse effect on human health.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Other adverse effectsNo data available.

13. Disposal considerations

Disposal methodsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of

Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

High Volume Industrial Chemicals (HVIC)

Not listed.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

SDS Australia

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information

Issue date 12-October-2016

Revision date -

United States & Puerto Rico

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

STONETECH® Salt Water Resistant Sealer

SDS Australia

926067 Version #: 01 Revision date: - Issue date: 12-October-2016

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).